


WESTEX GRAPHICS COLLECTION



westex.

FLOORING EXCELLENCE

TECHNICAL DETAILS



westex.
DYE SERVICE

Create your own
bespoke colour with
our unique dye service

WESTEX GRAPHIC COLLECTION

You can also create a bespoke shade through our **Special Dye Service** in any Graphics pattern.



2TUF-1465



Westex Carpets Limited.
Calder Bank Mills, Calder Bank Road, Dewsbury WF12 9QW, United Kingdom
Tel: +44 (0)1274 861334
westexflooring.com sales@westexflooring.com

westex.

FLOORING EXCELLENCE

WESTEX GRAPHIC COLLECTION

Technical Specification

End Use Classification	Heavy Contract		
Roll Widths*	Available in 2 sizes:		
	• 4.00m		
	• 5.00m		
Roll Length	Customisable		
Method of Manufacture	2 Fold Tufted Cut Pile, 1/8" Gauge		
Pile Material	80% Wool 20% Nylon		
Pile Height above Backing*	7.0mm		
Total Carpet Thickness*	10.0mm		
Primary Backing	Polypropylene or Felt Back		
Reaction to Fire	BS EN 13501	Class C _{fl} -s1	
CE Mark	EN 14041		

*Commercial Tolerance +/- 10%

THE UNIQUE ADVANTAGES OF A WESTEX CARPET



Stain-Resist
keeps carpet looking
newer for longer



Fresh Guard
neutralises pet odours
& inhibits mould



Moth Guard
protects your carpet
against moths



Allergy Guard
protects against dust mites,
bacteria & allergens



Westex Carpets Limited.
Calder Bank Mills, Calder Bank Road, Dewsbury WF12 9QW, United Kingdom
Tel: +44 (0)1274 861334
westexflooring.com sales@westexflooring.com

westex.
FLOORING EXCELLENCE

WESTEX GRAPHICS COLLECTION

Samples

Samples of all the designs and colourways illustrated can be produced in the form of "Kibby" carpet samples (to represent colour and design only). These are usually available within 72 hours.

Custom Colour

All the designs shown in this presentation can be recoloured using Westex's Colour matching facility. This highly sophisticated colour system is designed to provide designers, specifiers and end users unlimited colour options to suit their requirements. Please contact us for more information on tailoring any design to your project.

The carpet illustrations shown in this presentation are as accurate as the limitations of the printing process used. All designs are the copyright of Westex and may not be reproduced without their written consent.

Pattern Matching

Where graphics tufted carpets are to be laid in multi width installations an accurate pattern match cannot be guaranteed due to the limitations of the manufacturing process. Particular consideration must be given to seam locations as a result.

Quality Selection

The qualities detailed represent specifications which should satisfy most commercial requirements. With each particular installation, the decision on which quality is most appropriate will depend on the levels of traffic, colour and design as well as the length of time the carpet is expected to be installed.

Westex have many years experience in these considerations and can provide detailed advice on quality selection on a project by project basis.

Planning and Estimation Service

Using the latest Callidus planning software, Westex can accurately estimate carpet requirements from site plans to any scale. Accurate estimations can be calculated and adjustments made to minimise wastage.

One critical area of importance is seam placement. Knowledge of customer flow through the building is used to guide the installer in the careful positioning of seams to avoid premature wear.

General Installation Recommendations

All patterned tufted carpets should be installed in accordance with BS5325:2021. Installation of Textile Floorcoverings and NICF Manual detailing industry best practice.

General Maintenance Recommendations

Westex recommend that this carpet is maintained in accordance with an agreed maintenance schedule which should include the following:

- Vacuum regularly.
- Remove spills immediately.
- Professionally clean as required.

Pile Reversal

All cut pile carpets can suffer from pile reversal and in certain instances this may become permanently bent or distorted for no specific reason that research has yet identified, giving areas of light and shade. This is also described as "shading" or "watermarking". It is not a defect in manufacture; it only occurs in a small percentage of all carpets and no liability whatsoever can be accepted by the manufacturer in respect of it.

Pile pressure

All cut pile carpets are liable to show light and dark patches resulting from disturbance of the pile created by foot traffic or brushing. This is a normal feature and is not a defect in manufacture and no liability whatsoever can be accepted by the manufacturer in respect of it.



Westex Carpets Limited.
Calder Bank Mills, Calder Bank Road, Dewsbury WF12 9QW, United Kingdom
Tel: +44 (0)1274 861334
westexflooring.com sales@westexflooring.com

westex.

FLOORING EXCELLENCE



westex.
DYE SERVICE

own your colour.

We are very proud of our extensive standard colourbank, which we consider to be second to none. We also offer you limitless bespoke colours, as we have our own Dye House and control the whole manufacturing process. Special Dyes must meet your approval before full production is started.*

THE UNIQUE ADVANTAGES OF A WESTEX CARPET



Allergy Guard

Allergy Guard protects against pests, bacteria and allergens whilst Fresh Guard inhibits mould and neutralises pet odours. All Westex Carpets have an anti-dust mite treatment applied to protect against house dust mites, mould fungi and bacteria and their allergens, fresh guard is also part of the construction of this treatment.

The active ingredient in the treatment does not allow the debris (human skin, hair etc.) to decay into the food that the dust mites thrive upon, thus there is no environment for them to exist or thrive in. This will also inhibit the bacteria and mould development. Thorough vacuuming will then maintain the cleanliness of the carpet.



Fresh Guard

This treatment has been subjected to the full rigours of scientific testing, both toxicologically and ecologically, to establish that there is no harm to human or pet health, or the environment. It is tested to OECD 404 and 406 to qualify as no irritation or sensitisation.

These treatments combine with the wool fibre on a permanent basis and will last the life time of the carpet.



Stain-Resist

All Westex Carpets have a Stain Resist treatment applied. Stain Resist is not a stain blocker. Stain Resist slows the stain penetration down, giving time to get the carpet cleaned. The stain resist formula bonds with the fibre to provide protection against dirt and damp, therefore making caring for the carpet easier.

This treatment prevents stains from penetrating the fiber and they temporarily remain locked on the surface so they can easily be removed. The breathable properties of the fibre are not affected.

Shampooing and professional carpet cleaning products cannot break the bonds between the active chemical and fibre. The performance of the Stain Resist will last 5 years, subject to normal, reasonable use.

Stain Resist is free from CFCs and is dermatologically tested. The Stain Resist polymers show no toxicity even at the highest applied levels and no bioavailability, metabolism or hydrolysis.



Moth Guard

All Westex carpets have a mothproofing treatment applied. Mothproofing protects your carpet against the attack of both moths and other wool eating insects. The active ingredient in the moth-proof makes the keratin (a protein found in wool) that moths, bugs and other insects thrive upon, indigestible. They literally starve as their digestive systems are unable to convert the keratin they have eaten into usable food.

The moth-proof combines with the wool fibre on a permanent basis and will last the life time of the carpet.

Westex's award winning moth-proof process has had scientific testing, both toxicologically and ecologically, to establish that there is no harm to human or pet health with no effluent waste.



UK SUSTAINABLE FLOORING ALLIANCE



Westex Carpets Limited.
Calder Bank Mills, Calder Bank Road, Dewsbury WF12 9QW, United Kingdom
Tel: +44 (0)1274 861334
westexflooring.com sales@westexflooring.com

westex.

FLOORING EXCELLENCE